608-609-1005
info@urbantreealliance.org
www.urbantreealliance.org

ARBOR ASSESSMENT

Address: 1234 Main St.
Name: John Doe
Phone: 608-123-4567
Email: john.doe@gmail.com
Arborist: Evan Slocum

Overall Comments:

Tree health is overall very good on the property. Most of the work recommended is general maintenance. The cabling of tree #4 is recommended as an added safety measure against its potential failure. Tree # 8 is recommended for removal as it is structurally unsound and could cause property or physical damage if it failed. Routing pruning of other trees is encouraged to provide clearance to the house, street, and yard. Significant deadwood exists throughout the property that should be removed for safety, aesthetic, and tree health reasons.

Id	Species	Height	DBH	Condition	Notes
1	White Oak	65	18	8	No maintenance needs. Healthy Tree
2	White Oak	55	18	8	Prune low-hanging limbs over Landfall drive.
3	White Ash	85	21	8	Good condition. No maintenance necessary.
4	Silver Maple	60	28	6	Decay and split in lower trunk (see photo #1). Installation of support cable recommended. Pruning of low-hanging limbs over roof also recommended.
5	White Ash	90	25	8	Good Condition. No maintenance necessary.
7	Common Buckthorn	10	3	9	Invasive species. Should be removed to enable growth of adjacent shrubs.
6	Silver Maple	65	30	7	Remove large deadwood and prune for clearance over roof and patio.
9	Silver Maple	65	36	7	Remove deadwood and prune for clearance over yard. Some deadwood up to 11" in diameter.
8	White Ash	70	12	3	Structurally unsound; woodpecker damage; extensive dieback in crown. Removal recommended.

608-609-1005
info@urbantreealliance.org
www.urbantreealliance.org

10	White Ash	80	32	5	Extensive large deadwood. Tree borders power lines and is under the jurisdiction of utility company maintenance. Can remove large dead limbs over yard area.
11	White Ash	65	15	8	Good condition. No maintenance necessary.
12	White Oak	60	18	8	Overall good condition. Some large deadwood should be removed for safety and tree health reasons.
13	White Ash	65	15	8	Remove one piece of deadwood. Otherwise no maintenance necessary.
14	White Ash	80	25	5	Remove large deadwood.
15	Norway Maple	50	13	7	Prune for clearance over patio and bird feeder.
16	White Oak	55	15	8	Remove large deadwood.
17	White Oak	55	17	6	Remove large pieces of deadwood. One limb growing toward house and possibly interfering with adjacent tree that should be removed.
18	Bur Oak	55	14	9	Very Good condition. No maintenance necessary.
19	Black Cherry	65	17	8	Good condition. Some significant deadwood should be removed. A vertical assessment should be conducted at that time to assess possible decay in trunk.

Supporting Imagery:

This image illustrates the wound and cracking from ground level to the first branch-union of tree #4. It is recommended that a support cable be placed in the tree to provide additional support to the tree.